

10-Page
Tutorial


CONTRAST EDGE RIBBON COLLAR

Adjustable Pet Collar Sewing Guide



✧ Sizes: Small 10–14 in • Medium 14–18 in • Large 18–22 in ✧

This guide will teach you how to sew a beautiful, durable pet collar featuring ribbon sewn along both outer edges for a clean, contrast finish. You'll learn from cutting and placing ribbon to assembling the strap, adding hardware, and finishing your collar for sale.



10-Page Tutorial

TOOLS, MATERIALS & FINISHED DESIGN

Contrast Edge Ribbon Collar Sewing Guide

YOU'LL NEED



Outer fabric for
collar base
(1½ in wide strip)



1 in (25 mm)
nylon webbing
(for strength)



3/8 in (10 mm)
contrast ribbon



1 in (25 mm)
side-release buckle



1 in (25 mm)
triglide slider



1 in (25 mm)
D-ring



Matching
thread



Sewing clips
or pins



Ruler



Lighter or
heat tool



Iron



Sewing
machine

FINISHED DESIGN



SELLER TIP


Sewing ribbon along both edges gives a plain collar a clean, boutique look while keeping it practical and durable—perfect for everyday wear and easy to sell.

SIZE CHART & CUT LIST

*Standard Selling Sizes for the Collar Base
and Contrast Ribbon*

Measurement	Small 10–14 in	Medium 14–18 in	Large 18–22 in
Neck range	10–14 in	14–18 in	18–22 in
Nylon webbing	22 in	26 in	30 in
Outer fabric strip to cover webbing	23 x 3 in	27 x 3 in	31 x 3 in
Contrast ribbon (cut 2)	22 x 3/8 in	26 x 3/8 in	30 x 3/8 in

PATTERN PIECE DIAGRAMS



✂ Leave 1/2 in clear at each
short end before the ribbon begins.

✂ All seam allowances are
1/4 in unless noted.


CUT & PREPARE THE PIECES

Get accurate cuts and prep to build a neat, sellable collar.


- 1** Cut the outer fabric strip, two contrast ribbon pieces, and the nylon webbing using the size chart.



- 2** Lightly heat-seal the nylon webbing ends to prevent fraying. Keep the ribbon ends and fabric ends trimmed square and neat.



- 3** Press the outer fabric strip: fold each long side inward by 1/2 in, and fold each short end under by 1/2 in.



- 4** Mark ribbon placement lines so one ribbon sits near each long edge, and mark stop points so the ribbon begins and ends 1/2 in from each short end.



SELLER TIP

Clean prep helps the ribbon sit evenly and keeps the finished collar polished.

PLACE THE CONTRAST RIBBON

Position both ribbon edges before sewing

- 1** Lay the first ribbon strip along one long edge of the prepared outer fabric strip, keeping it parallel to the edge.



- 2** Place the second ribbon strip along the opposite long edge in the same way.



- 3** Use clips or pins to hold both ribbon strips flat, smooth, and even.



- 4** Check that both sides mirror each other and that the ribbon begins and ends 1/2 in from each short end.



PREPARED RIBBON PANEL (BEFORE SEWING)



Symmetry is the key to a clean, balanced collar.

SEW THE RIBBON EDGES

Attach the ribbon securely and keep it flat

1



Topstitch along the centerline of the first ribbon strip from end to end.

2



Topstitch along the centerline of the second ribbon strip from end to end.

3



Keep both rows of stitching straight so the ribbon sits smooth and secure.

4



Check that both ribbon edges lie flat and that no puckers form along the strip.

COMPLETED RIBBON PANEL



Straight stitching keeps the contrast ribbon looking crisp and helps it stay durable for daily wear.



BUILD THE COLLAR STRAP

Create a strong base while keeping the ribbon visible

- 1** Slide the 1 in nylon webbing inside the ribbon-trimmed fabric strip until it is centered.



- 2** Fold the short ends neatly over the webbing so no raw edges or loose ribbon ends show.



- 3** Hold the strap closed around the webbing using clips.



- 4** Topstitch close to both long edges and neatly across the short ends to make the finished strap.



COMPLETED STRAP (BEFORE HARDWARE)




Even topstitching keeps the strap strong, secure, and polished.

ADD THE HARDWARE

Follow the hardware order below.

- ❖ **1** ❖ Thread one end of the strap through the triglide slider, fold back 1.5 in, and stitch securely.



- ❖ **2** ❖ Thread the opposite end through the male side-release buckle and stitch a secure box-X.



- ❖ **3** ❖ Thread the free end through the D-ring, then through the female side-release buckle.



- ❖ **4** ❖ Bring the free end back through the triglide to create the adjustable tail.



NOTE

Check that the collar adjusts smoothly to S 10–14 in, M 14–18 in, and L 18–22 in.

FINISH THE COLLAR

1

Fasten the collar and lay it flat so you can inspect the overall shape.



2

Check that the contrast ribbon runs evenly along both edges and that all stitch lines are straight.



3

Trim loose threads and reinforce any weak stitching if needed, especially near the hardware folds and ribbon ends.



4

Give the collar a final light press so the strap lies smooth and the ribbon lies flat.



A smooth strap and balanced ribbon edges make the finished collar look professional.

CHECK THE SIZES & QUALITY CHECK

- 1** Set the collar to its smallest setting and measure the inside circumference flat.



10 in

- 2** Set the collar to its largest setting and measure the inside circumference flat.



22 in

- 3** Compare the finished collar to the size chart and label it clearly for selling.



FINISHED SELLING SIZES

Size	Neck (adjustable)	Contrast ribbon (cut 2)	Outer fabric strip
Small	10–14 in	22 x 3/8 in	23 x 3 in
Medium	14–18 in	26 x 3/8 in	27 x 3 in
Large	18–22 in	30 x 3/8 in	31 x 3 in

QUALITY CHECKLIST

- stitches are straight
- hardware is secure
- ribbon is even on both sides
- no raw edges visible
- adjustment range is correct
- collar lies flat

CARE INSTRUCTIONS

- spot clean with mild soap and water
- air dry flat and reshape if needed
- avoid rough pulling on the ribbon edges

SELLER NOTE

list the neck size in your product title or description, and mention the ribbon color or style so buyers know exactly what they are getting.