

PREMIUM BOUTIQUE COLLAR PATTERNS

LAYERED ACCENT PANEL COLLAR

A collar with a sewn layered panel for extra visual depth.



OVERVIEW



Skill Level: Beginner–Intermediate



Pages: 10



Finished Width: 1 in



Use: Adjustable boutique dog collar



Safety: Decorative everyday collar, not for tie-out or heavy pulling.

SIZES INCLUDED

SMALL
10–14 in



MEDIUM
14–18 in



LARGE
18–22 in



This guide uses 3 seller-friendly dog sizes.

SIZES & CUTTING LENGTHS

Use these 3 seller-friendly dog sizes for the Layered Accent Panel Collar.



Size	Neck Range	Webbing Cut	Base Fabric Strip	Accent Panel Strip
SMALL	10–14 in	19 in	3 x 20 in	1 3/4 x 17 in
MEDIUM	14–18 in	23 in	3 x 24 in	1 3/4 x 21 in
LARGE	18–22 in	27 in	3 x 28 in	1 3/4 x 25 in



Use 1 in collar hardware for all sizes.



Accent panel finishes about 3/4 in wide and leaves about 1 1/2 in clear at each end for hardware folds.

SMALL
10–14 in



MEDIUM
14–18 in



LARGE
18–22 in



TOOLS & MATERIALS

Gather these supplies before you begin.

			
1 in outer fabric (cotton, linen, or canvas) for the base wrap	1 in nylon or polypropylene webbing core	Accent panel fabric in a coordinating taupe tone	Matching thread
			
1 in side-release buckle set	1 in tri-glide slider	1 in D-ring	Ruler or tape measure
			
Fabric marker or chalk	Fabric scissors or rotary cutter	Clips or pins	Iron
			
Sewing machine	Universal or microtex needle	Optional lightweight fusible interfacing for the accent panel	

NOTES

-  Choose a sturdy woven fabric for the base strap.
-  Optional interfacing gives the accent panel a crisper boutique look.
-  This is a decorative everyday collar, not for tie-out or heavy pulling.

FLAT VIEW



CURVED VIEW



CUT THE PIECES

Cut the strength layer, base wrap, and accent panel pieces for your collar.

WEBBING
STRIP



BASE FABRIC
STRIP



ACCENT
PANEL STRIP



Size	Webbing	Base Fabric	Accent Panel
Small	19 in	3 x 20 in	1 3/4 x 17 in
Medium	23 in	3 x 24 in	1 3/4 x 21 in
Large	27 in	3 x 28 in	1 3/4 x 25 in

1



Choose the size.

2



Measure and cut the webbing.

3



Cut the base fabric strip.

4



Cut the accent panel strip.

5



Keep each size set grouped together.

6




Check that all ends are straight and clean.



PREPARE THE ACCENT PANEL

Finish the layered accent strip before sewing it onto the collar strap.

1



Cut the accent strip for your chosen size.

2



If desired, fuse lightweight interfacing to the wrong side.

3




Place the strip wrong side up.

4



Fold one long edge in 1/2 in.

5



Fold the second long edge in 1/2 in so the finished panel width is about 3/4 in.

6



Fold each short end in 1/2 in.

7



Press the folded panel flat and even.

8



The accent panel is ready.

NOTE

Finished accent panel lengths after folding:
Small 16 in • Medium 20 in • Large 24 in.

FINISHED ACCENT PANEL



WRAP THE WEBBING

Build the base collar strap around the webbing core.

- 1** Place the base fabric strip wrong side up.



- 2** Center the webbing strip on top.



- 3** Fold one long fabric edge over the webbing.



- 4** Fold the second long edge over so the webbing is fully wrapped.



- 5** Clip or pin the wrap closed.



- 6** Topstitch close to one long edge.



- 7** Topstitch close to the second long edge.



- 8** Check that the finished base strap lies flat and measures 1 in wide.



BACK VIEW



FRONT VIEW



FINISHED BASE STRAP PREVIEW



ATTACH THE LAYERED ACCENT PANEL

Center the panel on the base strap and stitch it in place.

- 1

Turn the finished base strap right side up.


- 2

Center the prepared accent panel on the strap.


- 3

Leave about 1 1/2 in clear at each end for the hardware fold areas.


- 4

Clip the panel in place.


- 5

Stitch along one long edge of the panel close to the fold.


- 6

Stitch along the second long edge.


- 7

Stitch across both short ends of the panel to secure it.


- 8

Smooth the strap and check that the panel sits centered and flat.



TIP

Measure the clear end space on both sides so the panel stays centered.



ATTACH THE FIXED END

Attach one buckle half and the D-ring to one end of the collar.

- 1** Slide one collar end through the D-ring.



- 2** Pass the same end through the female buckle slot.



- 3** Fold the end back about 1 1/2 in.



- 4** Position the D-ring so it sits between the buckle and folded section.



- 5** Stitch a secure box or box-X through the folded section.



- 6** The fixed end is complete.



FEMALE BUCKLE



D-RING POSITION




SECURED STITCHING



THREAD THE ADJUSTABLE END

Add the tri-glide and second buckle half to complete the adjustable collar.

- 1** Slide the free collar end through the tri-glide slider.




- 2** Pass the same end through the male buckle slot.



- 3** Bring the end back through the tri-glide from the opposite side.



- 4** Leave about a 3 in adjustment tail.



- 5** Make sure the adjustable section lies flat.



- 6** Snap the buckle closed to test the shape.



- 7** Slide the tri-glide to check that the collar adjusts smoothly.



- 8** Make sure the strap does not twist.



SLIDER PATH



MALE BUCKLE



FINISHED ADJUSTABLE END



FINISHED COLLAR, FITTING & CARE

Your Layered Accent Panel Collar is ready to wear.



QUICK RECAP

- Cut the pieces
- Prepare the accent panel
- Wrap the webbing
- Attach the panel
- Attach the hardware
- Adjust the fit

SAFETY

- Leave room for 2 fingers
- Check stitching and hardware regularly
- Decorative everyday collar only, not for tie-out or heavy pulling

CARE

- Spot clean or gentle hand wash
- Air dry flat
- Press on low if needed
- Avoid high direct heat

SIZE	NECK SIZE	WIDTH
 SMALL	10–14 in	1 in
 MEDIUM	14–18 in	1 in
 LARGE	18–22 in	1 in

