

SATIN-LINED BOUTIQUE COLLAR

A collar with a smooth satin-style inner lining.



OVERVIEW



Skill Level:
Beginner–Intermediate



Pages: 10



Finished Width: 1 in



Use:
Adjustable boutique
dog collar



Safety:
Decorative everyday collar,
not for tie-out or
heavy pulling.


SIZES INCLUDED



SMALL — 10–14 in



MEDIUM — 14–18 in



LARGE — 18–22 in

This guide uses 3 seller-friendly dog sizes.

SIZES & CUTTING LENGTHS

Use these 3 seller-friendly dog sizes for the Satin-Lined Boutique Collar.



SIZE	NECK RANGE	WEBBING CUT	OUTER FABRIC STRIP	SATIN LINING STRIP
SMALL	10–14 in	19 in	3 x 20 in	1 1/4 x 17 in
MEDIUM	14–18 in	23 in	3 x 24 in	1 1/4 x 21 in
LARGE	18–22 in	27 in	3 x 28 in	1 1/4 x 25 in



Use 1 in collar hardware for all sizes.



Finished collar width for all sizes: 1 in.



SMALL — 10–14 in



MEDIUM — 14–18 in



LARGE — 18–22 in

TOOLS & MATERIALS

Gather these supplies before you begin.



1 in outer fabric
(cotton, linen, or canvas)



1 in nylon or
polypropylene
webbing core



lightweight
satin lining fabric



matching
thread



1 in side-release
buckle set



1 in
tri-glide slider



1 in
D-ring



ruler or tape
measure



fabric marker
or chalk



fabric scissors
or rotary cutter



clips or pins



iron and
press cloth



sewing machine



microtex or
universal needle

NOTES

- Use lightweight satin for a smooth inner finish.
- Press satin on low heat with a press cloth.
- This is a decorative everyday collar, not for tie-out or heavy pulling.



Finished collar – flat view



Finished collar – curved view (satin lining)

CUT THE PIECES

Cut the strength layer, outer wrap, and satin lining for your collar.

WEBBING STRIP**OUTER FABRIC STRIP****SATIN LINING STRIP**

CUTTING CHART

SIZE	WEBBING	OUTER FABRIC	SATIN LINING
SMALL	19 in	3 x 20 in	1 1/4 x 17 in
MEDIUM	23 in	3 x 24 in	1 1/4 x 21 in
LARGE	27 in	3 x 28 in	1 1/4 x 25 in

1 CHOOSE THE SIZE.



2 MEASURE AND CUT THE WEBBING.



3 CUT THE OUTER FABRIC STRIP.



4 CUT THE SATIN STRIP.



5 KEEP EACH SIZE SET GROUPED TOGETHER.



6 CHECK THAT ALL ENDS ARE CLEAN AND STRAIGHT.



PREPARE THE SATIN LINING


Finish the satin strip before sewing it onto the collar strap.

1



Cut the satin strip for your chosen size.

2



Place the satin wrong side up.

3



Fold one long edge in 1/8 in.

4



Fold the second long edge in 1/8 in.

5



Press both long edges on low heat with a press cloth.

6



Fold each short end in 1/2 in.

7



Press again so the lining strip is smooth and even.

8



The satin lining panel is ready.



NOTE:

Finished satin panel length after folding:
Small 16 in • Medium 20 in • Large 24 in

PREVIEW: FINISHED SATIN STRIP



WRAP THE WEBBING

Build the base collar strap around the webbing core.



1
Place the outer fabric strip wrong side up.



2
Center the webbing strip on top.



3
Fold one long fabric edge over the webbing.



4
Fold the second long edge over so the webbing is fully wrapped.



5
Clip or pin the wrap closed.



6
Topstitch close to one long edge.



7
Topstitch close to the second long edge.



8
Check that the finished strap lies flat and measures 1 in wide.

BACK VIEW



FRONT VIEW



FINISHED BASE STRAP PREVIEW



ATTACH THE SATIN LINING

Center the satin strip on the inside of the collar strap.

1




Turn the finished base strap so the inside is facing up.

2



Center the prepared satin strip on the inside of the strap.

3



Leave about 1 1/2 in free at each collar end for the hardware fold areas.

4



Clip the satin strip in place.

5



Stitch one long edge of the satin close to the fold.

6



Stitch the second long edge.

7



Stitch the short ends to secure the lining.

8



Smooth the strap and check that the satin lies flat without puckers.



TIP:

Use low heat and do not stretch the satin while stitching.



ATTACH THE FIXED END

Attach one buckle half and the D-ring to one end of the collar.



Slide one collar end through the D-ring.



Pass the same end through the female buckle slot.



Fold the end back about 1 1/2 in.



Position the D-ring so it sits between the buckle and the folded section.



Stitch a secure box or box-X through the folded section.



The fixed end is complete.

FEMALE BUCKLE



D-RING POSITION



SECURED STITCHING



THREAD THE ADJUSTABLE END


Add the tri-glide and second buckle half to complete the adjustable collar.

1



Slide the free collar end through the tri-glide slider.

2



Pass the same end through the male buckle slot.

3



Bring the end back through the tri-glide from the opposite side.

4



Leave about a 3 in adjustment tail.

5



Make sure the adjustable section lies flat.

6



Snap the buckle closed to test the shape.

7



Slide the tri-glide to check that the collar adjusts smoothly.

8



Make sure the strap does not twist.

SLIDER PATH



MALE BUCKLE



FINISHED ADJUSTABLE END



FINISHED COLLAR, FITTING & CARE

Your Satin-Lined Boutique Collar is ready to wear.



QUICK RECAP

- 1 Cut the pieces.
- 2 Prepare the satin lining.
- 3 Wrap the webbing.
- 4 Attach the satin lining.
- 5 Attach the hardware.
- 6 Adjust the fit.

SIZE	NECK SIZE	WIDTH
SMALL	10–14 in	1 in
MEDIUM	14–18 in	1 in
LARGE	18–22 in	1 in

SAFETY

- 🐾 Leave room for 2 fingers.
- 🐾 Check stitching and hardware regularly.
- 🐾 Decorative everyday collar only, not for tie-out or heavy pulling.

CARE

- 🐾 Spot clean or gentle hand wash.
- 🐾 Air dry flat.
- 🐾 Use low heat and a press cloth if needed.
- 🐾 Avoid high direct heat on the satin lining.

